
ANYWAY FLOOR

WOOD PLASTIC COMPOSITE

YOUR OUTDOOR LIVING SOLUTION

Why Choose Anyway Floor?



ENVIRONMENT RESPONSIBLE

Manufactured with over 80% recycled materials and without any toxic substances. Product can be 100% recycled

GLOBAL SUPPLIERS

Products are not only widely used in China, but also leave fodotprint over more than 40 countries on 6 continents

CUSTOMIZED AVAILABLE

Personalized your requirements by enterprise-owned IndustryDesign Center & Technology Center.

PROFESSIONAL SERVICES

An outstanding sales team offers you professional and considerate services during the stages before and after sales.

EEXPERIENCE PRODUCER

Worked as a WPC producer for more than one decade,leading the industrywith rich manufacturing experience.

RELIABLE QUALITY


Focus on global market, apply strict international manufacturingstandards. Achieved Intertek, TüV, RoHs, CE and dozens of patented technology



1st Generation WPC Decking



2nd Co Extrusion WPC Decking



3D WPC Embossed Decking

DECKING

COMPOSITE DECKING CONSISTS OF 3 SERIES:

1st Generation WPC Decking

The most cost-effective choice with all kinds of profiles in solid, hollow and bridged ones.

2nd Co Extrusion WPC Decking


The most advanced products that provide nice appearance, hard surface as well as longest life span ever.

3D WPC Embossed Decking

With limited options in profile but various choices in trendin

1st Generation WPC Cladding

Worked as the cost-effective choice, the classic composite decking enjoy:the advantagesof more than less money but also good quality as well. Meanwhilethis series of traditional decking provides the beauty of lines and wood-like g the surface.



FEATURES

· Easy installation;
· Only low care & maintenance is needed;
· The most economic choice but no lessthan composite physical performannce.


SURFACE TEXTURE




COLOR




SPECIFICATION



145*21mm



140*25mm



138*20mm

3D WPC Embossed Decking

With the pressure print wood grain instead of thermo print, so the grainon the surface can stay at least 8-10 years, in this case, the surface absorbs leter, so scratch will not easily work on the surface, and stains like water, oil, wine etc will not stay on the surface as well.



FEATURES

· Long-lasting wood grain;
· Natural sense of wood touch & perception;
· Great enhancement in terms of scratch resistance, less water absorpticon etc


SURFACE TEXTURE



COLOR




SPECIFICATION



2nd Co Extrusion WPC Decking

Capped Decking is the high-end option in the market. The decking itself isered by plastic shield and that's where its name comes from. Thanks to this hard exterior, which brings longer life-span and better physical performance avble.



FEATURES

· Protective layer make it more resistance to impact;
· Better performance in anti-rot/crack/shrink etc.;
· Grain textures for a more sophisticated look.


SURFACE TEXTURE



COLOR



SPECIFICATION



CAPPED DECKING

Solid + high molecular shield, and here we got the solid co-extrusion decking Unlike normal capped boards with dull lines, the unique wood grain on the brings a kind of vintage style as well as makes high performance available anti-scratches, anti-slip etc.

DUO FINISHING

he new developed due-finishing technology allows our capped decking come with 2 colors in 2 faces.






FEATURES


· Wide range of color options;
· Unyielding shell offers all-around protection;
· Long life span with excellence physical performance in many aspects.

INSTALLATION & ACCESSORIES

See the below explosive view that exhibits the professional and high-efficient accessory system, which makes decking installation suitable for various spots and areas, and realize decent decking decoration in many terms.



COMPONENT VIEW




Dedicated Responsibility Innovation Excellence

DIY TILES


SNAP & GO / EASY-CLICK DECKING TILE / CLASSIC/ EASY CLICK



Regular model



3D WPC
Embossed Decking



2nd Co Extrusion
WPC Decking

DIY TILES

DIY TILES OF 3 SERIES:

From composite to wood, and from grass to stones, Anyway enjoys a wide range of DIY tiles that can satisfy what you expect. Worked as a flexible-oriented ground decoration, DIY tiles can always provides unique and customized design for every customer. Additionally, with the interlock and clipping system, end-users indeed can have access to a real DIY concept when connect the same series of DIY tiles.


Regular model

3D WPC Embossed Decking

2nd Co Extrusion WPC Decking

DIY TILES · classic model

To some degree, this kind of new DIY type offers an access to easier and q installation, especially for wider space. Besides, the aluminum holder ins hole make the whole structure strong and not easy to go deform.




COLOR



Maple - Leaf Red | Oak Brown | Vibrant Yellow | Shallow Coffee | Light Gray | Mysterious Black | Chocolate

SPECIFICATION





ADVANTAGE


fire-resistant

easy to install

wear-resistant

DIY TILES
3D WPC Embossed Decking

To some degree, this kind of new DIY type offers an access to easier and q installation, especially for wider space. Besides, the aluminum holder ins hole make the whole structure strong and not easy to go deform.




COLOR



Maple - Leaf Red | Oak Brown | Vibrant Yellow | Shallow Coffee | Light Gray | Mysterious Black | Chocolate

SPECIFICATION





ADVANTAGE


fire-resistant

easy to install

wear-resistant

DIY TILES
2nd Co Extrusion WPC Decking

To some degree, this kind of new DIY type offers an access to easier and q installation, especially for wider space. Besides, the aluminum holder ins hole make the whole structure strong and not easy to go deform.



COLOR



Teak



Yellow Wood



Antique Wood



Smoke Grey



Sliver Grey



Black



Red Wood



Walnut



IPE



White

SPECIFICATION





ADVANTAGE



fire-resistant



easy to install




wear-resistant


Dedicated Responsibility Innovation Excellence

CLADDING

- 1st Generation WPC cladding
- 2nd Co Extrusion WPC Cladding



1st Generation WPC cladding



2nd Co Extrusion WPC Cladding

CLADDING

CLADDING OF 2 SERIES:

Sometimes Composite cladding is easy to be neglected, but its performance will make you impressed once you apply them. To make your decoration more modern, elegant...we abandon the traditional single side cladding and bring out the trending ones in the market.

1st Generation WPC cladding

2nd Co Extrusion WPC Cladding


1st Generation WPC cladding

This system applies to the co-extrusion technology that covered by pastichield and keeps the nature wood texture. For such, the cladding becomes endurabole enough and enjoys long ser vice life under the harsh outdoor environment.




SPECIFICATION






148*21mm






156*21mm






218*28mm





219*26mm

INSTALLATION & ACCESSORIES



COMPONENT VIEW



WPC WALLPANEL




RIGHT. ANGLE CONNEVTOR




CONNEVTOR.1

COLOR




2nd Co Extrusion WPC Cladding

This system applies to the co-extrusion technology that covered by pastichield and keeps the nature wood texture. For such, the cladding becomes endurable enough andenjoys long ser vice lie under the harsh outdoor environment




SPECIFICATION






170*21mm





219*26mm





203*25mm

INSTALLATION & ACCESSORIES



COMPONENT VIEW



WPC WALLPANEL



RIGHT-ANGLE CONNEVTOR



CONNEVTOR-1



CONNEVTOR-2

COLOR



Teak



Yellow Wood



Antique Wood



Smoke Grey



Sliver Grey



Black



Red Wood



Walnut




IPE



White

THE GREAT WALL CLADDING

This series is highlighted by its unique design in both engineer structurepp installation method The former one helps the castellation present various space strucsture, and the latter one makes the siding very strong in structure ancan be used asthe ceiling structure.



UNIQUE ENGINEERED DESIGN

Compared to the classic cladding design, the castellation cladding exhibit excellent appear ance in third-dimensional sense. Therefore, it gives more for your exteriohe wails, that is to say, you can choose the vertical you want a taller vision, then a horizontal type can give you a broader appearand your personalized pursuit can be satisflead by a mixed type

OUTSTANDING CO-EXTRUDED SHIELD

The capped wood plastic shield, on the one hand, gives the claddingdistincolors and textures and on the other hand, makes the cladding posses beetter performance in teis of UV & stain resistance as well as mold & pest resistance.

STRONG IN STRUCTURE

Only screws are required for fixing. In this case, panels can be well faston the joists, so they not only can be worked as the wall panels but also theceiling decoration.

INSTALLATION & ACCESSORIES



COMPONENT VIEW



WPC WALLPANEL | RIGHT-ANGLE CONNEVTOR | CONNEVTOR-1 | CONNEVTOR-2

COLOR



Teak | Yellow Wood | Antique Wood | Smoke Grey | Sliver Grey

Black | Red Wood | Walnut | IPE | White

UNIVERSAL CLADDING

This series is highlighted by its unique design in both engineerstructurepp installation method. The former one helps the castellation present various space structure, and the latter one makes the siding very strong in structure ancan be used as the ceiliing structure



RICH OPTIONS IN CALDDING BOARDS

For our cladding system, we have 3 types of cladding boards that satisfy mgost requirements in the market.

UNIVERSAL ACCESSORY SYSTEM


Although we have different cladding board designs, they share with thesame accessories system that we develop creatively.In this case, you caan use those cladding boards in a mix manner.

FLEXIBLE AND EASY INSTALLATION


We uniquely infuse the aluminum design into the composite spare parts, whimeans they not only enjoy better performance in strength, but also can achieve more flexiable and easy installation.



INSTALLATION & ACCESSORIES







COLOR



Teak




IPE



Antique Wood



Smoke Grey



Yellow Wood



Black



Red Wood




Walnut




Sliver Grey



White



1st Generation WPC Fence



2nd Co Extrusion WPC Fence

FENCING

WPC FENCES INCLUDE TWO SERIES :

1st Generation WPC Fence

2nd Co Extrusion WPC Fence

FENCE

ANYWAY WPC FENCE mixes wood fibers and plastic for a pretty, natural look. It works wonderful for gardens, vards, or borders. Unlike traditional wood, it resists water, rot. and insects. The panels are easy to install on uneven ground. No painting or heaw maintenance is needed. The simple design fits most outdoor spaces, providing privacy and lasting longer than tradi-tional wood.



COLOR



Black Maple Leaf Red Chocolate Vibrant Yellow



COLOR



Black Maple Leaf Red Chocolate Vibrant Yellow



COLOR



Black Maple Leaf Red Chocolate Vibrant Yellow

INSTALLATION & ACCESSORIES



COMPONENT VIEW



1 ALUMINUM POST



2 WPC FENCING BOARD



3 STEEL HOLDER



4 TOP/ BOTTOM RAIL



5 DESIGN TRELLIS

COMPONENT VIEW



STEEL HOLDER FOR 75



STEELHOLDER FOR 90



STEELHOLDER FOR 100

FENCE

ANYWAY WPC FENCE mixes wood fibers and plastic for a pretty, natural look. It works wonderful for gardens, vards, or borders. Unlike traditional wood, it resists water, rot. and insects. The panels are easy to install on uneven ground. No painting or heaw maintenance is needed. The simple design fits most outdoor spaces, providing privacy and lasting longer than traditional wood.



COLOR



Black | Maple Leaf Red | Chocolate | Vibrant Yellow



COLOR



Black | Maple Leaf Red | Chocolate | Vibrant Yellow



COLOR



Black | Maple Leaf Red | Chocolate | Vibrant Yellow

INSTALLATION & ACCESSORIES



COMPONENT VIEW



1 WPC POST



2 WPC FENCING BOARD



3 STEEL HOLDER



4 TOP/ BOTTOM RAIL



5 DESIGN TRELLIS

COMPONENT VIEW



STEEL HOLDER FOR 75




STEELHOLDER FOR 90




STEELHOLDER FOR 100

FENCE

ANYWAY WPC FENCE mixes wood fibers and plastic for a pretty, naatural look. It works wonderful for gardens, yards, or borders. Unlike traditional wood, it resists water.rot, and insects. The panels are easy to install on uneven ground. No painting or heavy mailntenance is needed. The simple design fits most outdoor spaces, providing privacy and lasting longer than traditional wood.



Wood-plastic column



Aluminum alloy column

COLOR



Black




Maple Leaf Red




Chocolate




Vibrant Yellow



INSTALLATION & ACCESSORIES





COMPONENT VIEW



1 ALUMINUM POST



2 WPC FENCING BOARD



3 STEEL HOLDER




4 TOP/ BOTTOM RAIL



5 WPC POST

FENCE



POST



POST 68

aluminium




POST90


aluminium

ANYWAY Fencing series provide two post system, Posts can be mounted either directly into soft ground or concreate ground with 'steel holder'


CUSTOMIZE ·TRELLIS



H:45



H:30




H:90

ANYWAY Fencing also provide unlimited decoration solution. You can find out different Trellis to make your fencing unique.


1st Generation WPC Fence






2nd Co Extrusion WPC Fence




















Dedicated Responsibility Innovation Excellence

WPC **RAILING**

RAILING



WPC Railing

RAILING

RAILING OF 1 SERIES:

ANYWAY Railing comes from selected raw material and professional formula. Every time we carefully try the color, adjust the color is to build the outdoor living experience that closer to nature. We inject concision and fluency into our product, and make the railing structure rightly match the components.

WPC Railing

RAILING·PRODUCT DESCRIPTION

COMPOSITE RAILING

Railing always takes a place in the out-door decoration. Compared to worod one composite railing exhibits better performance in many aspects like an-ti-corrup-tion, free of oil and so on. Be-sides, our unique engineer-designed also mae quick & easy installation.

NO-NAIL SYSTEM

Thanks to the talent structural design, no nail / screw is visible in our iling system. It's so easy to install - youjust need to follow the instruction amble them with very rare screwing work to complete a railing.

KITS PACK SYSTEM


Unique designed kits pack system allows you to sell/ stock easily.
It's also easy to transportation and cal-culation so no material will be wad.

LOW MAINTENANCE


Thanks to the good performance of WPC material, any oiling, painting are n required and very low maintenance is needed just in case.

STRONG IN STRUCTURE

The railing system is designed to be as guard rail that can pass real stridard You can even put aluminum / steel reinforcement into the handrails toenhance them.




INSTALLATION & ACCESSORIES




Oak Brown


Maple-Leaf Red


Vibrant Yellow




1 POST


2 HAND RAIL


3 BALUSTER



4 SKIRT



5 CAP


6 CONNECTIONS


7 STEELHOLDER

RAILING·PRODUCT DESCRIPTION





STRONG IN STRUCTURE


reinforced by steel holder with reliable engineering design

LOW MAINTENANCE

thanks to WPC material, no oil or painting is required.

Dedicated Responsibility Innovation Excellence

ASA DECORATION



Dedicated Responsibility Innovation Excellence

ASA WPC

ASA DECORATION



What is ASA?

ASA material is a co-extruded polymer, its full name is Acrylonitrile Styrene Acrylate, that is, acrylonitrile-styrene-acrylate copolymer. It is a special synthetic resin that is commonly used to make productwith good weather resistance and UV resistance, especially in applicaations where long-term color and appearance need to be maintained in outdoor environments.



10 Key Advantages



Why choose ASA outdoor decoration?

01 Advanced ASA Co-extrusion Technology:

Ensures superior weather resistance, UV stability, and colorretention,even in harsh environmental conditions.

02 Easy Installation and Maintenance:

Lightweight yet robust construction facilitates quick installationand requires minimal upkeep over its lifespan.

03 Exceptional Durability:

Engineered to withstand impact, scratches, and fading,providing long-lasting protection and aesthetic appeal.

04 Environmentally Friendly:

Manufactured with sustainable practices and materials,meeting environmental regulations and certifications

05 Wide Range of Colors and Finishes:

Choose from a diverse palette of colors and finishes to connplement any architectural style or design preference.




SURFACE TREATMENT


Wear-resistant and scratch-resistant



STRUCTURAL STRENGTH


Higher hardness, better texture.






ACHIEVE HIGHER FIRE PROTECTION EFFECT

Products using fireproof formula can reach the European sstandard EN 13501-1: B-s3,d0




UNIQUE DESIGN

Different from the common styles on the market. The patented designon the linking place makes product installation easier and more durable.











SPECIFICATION OF NOVASCEND

Size	100*16mm
Length	2.9m/pc or customized length
Packing methods	By cartoon or pallet.Customized requests can be available
Outer Layer	Acrylonitrile Styrene Acrylate(ASA)
Certificate	CE/ISO9001 FSC、SGS、Intertek、etc
Features	1.Fireproof; 2. High toughness; 3.Scratch resistance 4. Real wood version; 5. Unique design
Color Option	Walnut / Oak / Red Wood
Installation Method	Clips & Screws/Joist support
Warranty	15 years


ASA DECORATION

ASA (Acrylonitrile-Styrene-Acrylate) Cladding is a high-performance composite material engineered for outdoor applications. It combines durability, aesthetic appeal, and low maintenance, making it a superior alternative to traditional wood or wood-plastic composites (WPC).











224X24mm






195X25mm





Grey Rose Wood Oak




SPECIFICATION OF NOVASCEND


Size	100*16mm / 200*24mm / 185*26mm / 224*24mm / 140*24mm
Length	2.9m/pc or customized length
Packing methods	By cartoon or pallet.Customized requests can be available
Outer Layer	Acrylonitrile Styrene Acrylate(ASA)
Certificate	CE/ISO9001 FSC、SGS、Intertek、etc
Features	1.Fireproof; 2. High toughness; 3.Scratch resistance 4. Real wood version; 5. Unique design
Color Option	Grey / Rose Wood / Oak
Installation Method	Clips & Screws/Joist support
Warranty	15 years

ASA DECORATION

ASA (Acrylonitrile-Styrene-Acrylate) Cladding is a high-performance composite material engineered for outdoor applications. It combines durability, aesthetic appeal, and low maintenance, making it a superior alternative to traditional wood or wood-plastic composites (WPC).








201X26mm

Surface Treatment



Brush


FEATURES


· Easy installation;
· Only low care & maintenance is needed;
· The most economic choice but no lessthan composite physical performannce.


ASA Design Advantage

No Clips Needed, Save 50% Installation time

For this cladding, the edge is the key spot for installation.
The screws needed to be fix from here to attach the cladding tothe joist.
The narrow and thin edge is not of enough space and strength for installation, while fixing the screws, the edge might be easily broken.







Buffer Edge Design

We have upgraded the edge design from the "straight" design to thebuffer bevel edge design. For this changes, it can allow the connectedcladding pieces have enough space for thermal expansion and concrationh.So that the edges won't be squeezed together and cause problem such as warp-ping.cracking, etc.

The buffer edge design is a more reasonable design to avoid these pre-blem it's good for long-term using.


For our upgraded design, we have thicken and widen the edge side,which ensure to have enough space to fix the screws.

ASA DECORATION

ASA (Acrylonitrile-Styrene-Acrylate) Cladding is a high-performance composite material engineered for outdoor applications. It combines durability, aesthetic appeal, and low maintenance, making it a superior alternative to traditional wood or wood-plastic composites (WPC).







100X16mm

Surface Treatment



Brush



Wood Grain 1



Wood Grain 1



Wood Grain 1

FEATURES

· Easy installation;
· Only low care & maintenance is needed;
· The most economic choice but no lessthan composite physical peerformannce







Color Options



Teak



IPE



Antique Wood



Smoke Grey



Yellow Wood



Black




Red Wood



Walnut




Sliver Grey




- Guía de instalación -


PASO 1 Instalar la viga

(1)Para AS-WP01/NAS-WP011





(2) Para AS-WP02/AS-WP03/AS-WP04/AS-WP05/NAS-WP012



PASO 2 Instale el panel de pared con tornillos o clips





PASO 3 Fije el borde de terminación

